Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (currently amended) A gas light assembly, comprising:

a stand member having a recessed portion sized to receive a fuel container, the recessed portion being accessible through an opening in a sidewall of the stand member;

a panel member coupled to the stand member and vertically movable slidable between a closed position covering the opening and an open position wherein the opening is accessible for inserting the fuel container into the recessed portion or removing the fuel container from the recessed portion.

- 2. (original) The assembly of claim 1, further comprising a light-generating member coupled to an end of the stand member and a fuel line extending between the recessed portion and the light-generating member.
- 3. (original) The assembly of claim 1, further comprising a coupling member positioned in the recessed portion and configured to couple the fuel container to the assembly.
 - (canceled)
- 5. (previously presented) The assembly of claim 1, wherein the stand member includes a hollow cylindrical lower portion that defines the recessed portion, and the recessed portion is sized to receive a cylindrical shaped fuel container.
- 6. (original) The assembly of claim 1, wherein the assembly includes a base configured to support the assembly in an upright position.
 - 7. (original) The assembly of claim 1, wherein the assembly is portable.

FROM-Merchant & Gould

- 8. (original) The assembly of claim 1, wherein the panel member extends around an entire outer circumference of the stand member.
- 9. (original) The assembly of claim 1, further comprising a locking mechanism configured to lock the panel member in the open position.
- 10. (original) The assembly of claim 1, wherein the stand member further comprises a gas valve housing.
- 11. (original) The assembly of claim 10, wherein a gas valve member is housed within the gas valve housing.
- 12. (original) The assembly of claim 1, wherein the stand member further comprises an upper portion including a gas valve housing and a lower portion including the recessed portion.

13-20. (canceled)

21. (new) A gas light assembly, comprising:

a stand member having a recessed portion sized to receive a fuel container, the recessed portion being accessible through an opening in a sidewall of the stand member;

a panel member coupled to the stand member and vertically movable between a closed position covering the opening and an open position wherein the opening is accessible for inserting the fuel container into the recessed portion or removing the fuel container from the recessed portion; and

a locking mechanism configured to lock the panel member in the open position.

22. (new) The assembly of claim 21, further comprising a light-generating member coupled to an end of the stand member and a fuel line extending between the recessed portion and the light-generating member.

FROM-Merchant & Gould

- (new) The assembly of claim 21, further comprising a coupling member 23. positioned in the recessed portion and configured to couple the fuel container to the assembly.
- (new) The assembly of claim 21, wherein the panel member is slidable between 24. the open and closed positions.
- (new) The assembly of claim 21, wherein the stand member includes a hollow 25. cylindrical lower portion that defines the recessed portion, and the recessed portion is sized to receive a cylindrical shaped fuel container.
 - (new) The assembly of claim 21, wherein the assembly is portable. 26.
- (new) The assembly of claim 21, wherein the panel member extends around an 27. entire outer circumference of the stand member.
- (new) The assembly of claim 21, wherein the stand member further comprises a 28. gas valve housing.
- (new) The assembly of claim 28, wherein a gas valve member is housed within 29. the gas valve housing.
- (new) The assembly of claim 21, wherein the stand member further comprises an 30. upper portion including a gas valve housing and a lower portion including the recessed portion.